



# Actinic BL TL(-K)/TL-D(-K)

## Actinic BL TL-DK - 30W/10 1SL

With an optimized spectrum matching the eye sensitivity of the housefly, Actinic BL TL(-K)/TL-D(-K)/TL-E/PL-S and PL-L lamps are perfect for attracting insects. They have virtually no UV-B output, and so are perfectly safe. What's more, with the lowest mercury content in the industry and being 100% lead-free, these lamps represent a very good environmental choice. Furthermore, the availability of a wide range of form factors (straight (T5, T8, T12), circular (TL-E) and compact (PL-S/PL-L)) and wattages enables you to make all kinds of designs for your electronic fly killers.

## Product data

### • General Characteristics

Cap-Base	G13
Bulb	T26
Main Application	Reprography
Useful Life	2000 hr
Life to 50% failures	2000 hr
EM	

### • Light Technical Characteristics

Color Code	10
Color Designation (text)	Actinic
Chromaticity Coordinate X	225 -
Chromaticity Coordinate Y	230 -
Depreciation 2000 hours	40 %

### • Electrical Characteristics

Lamp Wattage	30 W
Lamp Wattage Technical	30 W
Lamp Voltage	45 V
Lamp Current	0.805 A

### • Environmental Characteristics

Mercury (Hg) Content	8.0 mg
----------------------	--------

### • UV-related Characteristics

UV-A Radiation 100hr (IEC)	6.6 W
UV-B/UV-A (IEC)	02 %

### • Product Dimensions

Base Face to Base Face A	437.4 (max) mm
Insertion Length B	442.1 (min), 444.5 (max) mm
Overall Length C	451.6 (max) mm
Diameter D	28 (max) mm

### • Product Data

Order code	928019501029
Full product code	928019501029
Full product name	Actinic BL TL-DK - 30W/10 1SL
Order product name	Actinic BL TL-DK - 30W/10 1SL
Pieces per pack	1
Packing configuration	25
Packs per outerbox	25
Bar code on pack - EAN1	8711500893468
Bar code on outerbox - EAN3	8711500893475
Logistic code(s) - 12NC	928019501029
Net weight per piece	59.600 gr


**PHILIPS**

# Actinic BL TL(-K)/TL-D(-K)

## Dimensional drawing


### Actinic BL TL-DK - 30W/10 1SL

Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TL-DK 30W/10	437.4	442.1	444.5	451.6	28



G13

## Photometric data



© 2014 Koninklijke Philips N.V. (Royal Philips)  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

[www.philips.com/lighting](http://www.philips.com/lighting)

2014, November 29  
data subject to change